

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	77	((transceiver or (transmitter and receiver)) same internet same ((cell adj phone) or (mobile adj (station or apparatus or device or unit or node or terminal or equipment or phone))) ) and 455/414.1,466,73,550.1,552.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:23
S2	20	((transceiver or (transmitter and receiver)) with internet with ((cell adj phone) or (mobile adj (station or apparatus or device or unit or node or terminal or equipment or phone))) ) and 455/414.1,466,73,550.1,552.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:37
S3	479	( internet with (cellphone or (mobile adj (station or device or terminal or apparatus or equipment or phone or unit))) ) and 455/414.1,466,73,550.1,552.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:43
S4	446	S3 and ((access adj network) or (access adj node) or (network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:45
S5	164	S4 and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:45
S6	146	S5 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:47
S7	2	"6771981".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:29
S8	2	ep-1178562-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:36

S9	1	gb-2342505-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:59
S10	45	((add\$3 or sum\$3) adj (calibration adj signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:14
S11	45	((add\$3 or sum\$3) adj (calibration adj signals))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:16
S12	2	"6822455".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:12
S13	2	"6615024".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:57
S14	30	(internet with ((base adj station) or (access adj node)) with (access near2 network)) and 370/401,352, 466,467,487,493,494.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:08
S15	142	(internet with ((base adj transceiver adj station) or (base adj station) or transceiver) ) and 709/217,219,227, 229,230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:26
S16	33	(internet with ((base adj station) or (transceiver) or (base adj transceiver adj station)) with ((mobile adj (terminal or unit or station or phone or device or apparatus or equipment)) or (cell adj phone) or (cellular adj (telephone or phone))) same protocol ) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 07:43

S17	85	(internet with ((base adj station) or (transceiver) or (base adj transceiver adj station)) with ((mobile adj (terminal or unit or station or phone or device or apparatus or equipment)) or (cell adj phone) or (cellular adj (telephone or phone))) same protocol ) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 07:43
S18	18	("5046082"   "5546077"   "5802159").PN. OR ("6138009").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/29 08:32
S19	2	"6779022".pn.",20030022662".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/29 08:34
S20	1	"20040002337".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/29 08:36
S21	1	"20040005884".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/29 08:37
S22	1	"20030105835".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/29 08:40
S23	1	"20030177198".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/29 09:41
S24	864	((((base adj station) or (base adj transceiver adj station)) same ((IP adj protocol) or protocol) same (rout\$3 or (network adj server) or server) ) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:24
S25	907	((((base adj station) or (base adj transceiver adj station)) near5 (tower or building)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:28
S26	651	((((base adj station) or (base adj transceiver adj station)) near3 (tower or building)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:28
S27	435	((((base adj station) or (base adj transceiver adj station)) near2 (tower or building)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:30

S28	200	((((base adj station) or (base adj transceiver adj station)) near2 (building)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:50
S29	74	((((base adj station) or (base adj transceiver adj station)) near2 (cabinet or enclosure or container or housing)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:53
S30	26	((((base adj station) or (base adj transceiver adj station)) near2 cabinet) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:33
S31	2	( protocol with (security adj information) with ((base adj station) or transceiver or (base adj transceiver adj station)) )and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:36
S32	1	( protocol with (security adj information) with ((base adj station) or transceiver or (base adj transceiver adj station)) )and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:41
S33	4	"6779024".pn.",6408330".pn.", 6779024".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:38
S34	9	( protocol with (security) with ((base adj station) or transceiver or (base adj transceiver adj station)) )and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:08
S35	41	( (((cellular or radio) near2 (network or system)) same (protocol near2 (conversion or converter or layer)) same (internet or IP or (IP adj network)) ) and 370/466,467,400, 401.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:13

S36	2	"20030211859".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 12:39
S37	90	( protocol with (convert\$3 or conversion) with ((RF adj signal) or (radio adj frequency adj signal) or signal) with ((base adj station) or (access adj node)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 12:46
S38	225	( protocol same (convert\$3 or conversion) near3 ((RF adj signal) or (radio adj frequency adj signal) or signal) same ((base adj station) or (access adj node)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 12:53
S39	190	(convert\$3 near2 (RF signals)) same protocol same (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 12:55
S40	85	((convert\$3 near2 (RF signals)) same protocol same (base adj station)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 12:55
S41	13	("20020055371"   "20020187809"   "20030040337"   "20030114103"   "20030162539"   "5627879"   "5852651"   "6023625"   "6112086"   "6374124"   "6522641"   "6674966").PN. OR ("6785558"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/01 14:47
S42	15	(transceiver near2 cabinet) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/01 16:00
S43	32	transceiver same (protocol with (RF adj signal) with (convert\$3 or conversion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 16:08
S44	2	internet same (security adj information) same protocol same ((base adj transceiver adj station) or (transceiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 06:55

S45	104	internet same (security adj information) same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:11
S46	27	internet with protocol with (security adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:11
S47	5	internet with protocol with (security adj information) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:19
S48	2	SSL with protocol with internet with ((base adj station) or transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:28
S49	63	(security adj information) with (transceiver or (base adj station))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:36
S50	41	(transceiver or (base adj station)) with ((Quality adj of adj service) or QoS) with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 08:44
S51	32	(internet with ((base adj station) or transceiver) with protocol with (authentication or encryption or (security adj information)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:22
S52	26	internet same ((transceiver or (bsae adj station)) with (authentication or encryption))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:43

S53	57	(convert near (RF signal)) with (network or server) with ((base adj station) or transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:56
S54	4569	protocol adj conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:56
S55	156	(protocol adj conversion) same (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:57
S56	53	((protocol adj conversion) same (base adj station)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:59
S57	3	((protocol adj conversion) same RF same (base adj station)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:59
S58	31	("5640686"   "5732359"   "5732360"   "5761623").PN. OR ("5946634").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/02 11:00